



**MCR  
SAFETY**

# H1N FR Gear

## Specification Sheet

### PRODUCT DESCRIPTION:

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The H1 Henley Shirt features a 100% FR Cotton material for Maximum Comfort. The Max Comfort™ material meets the NFPA 2112-2018 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

Available in Gray, Navy and Tan

### FEATURES:

- Max Comfort™ Fabric NFPA 2112 UL Certified
- All Trims are NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection Standard
- NFPA 70E HAZARD, HRC 2
- ATPV ASTM 1959 9.6 cal/cm<sup>2</sup>, HRC 2
- Henley is UL & NFPA 2112 certified
- **Max Comfort™ 7.0 oz. 100% Cotton FR interlock knit shell**
- Comfortable raglan sleeves
- 3 button placket front
- Left chest pocket
- Fabric is moisture wicking and breathable
- Rib knit collar and cuff
- Hi-temperature FR poly buttons



### APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking, Mining

### TECHNICAL DATA FOR: H1N

Category	FR Gear	NFPA 2112-2018 Certified	Yes
Size	L	NFPA 70E-2018 Certified	Yes
Material	Flame Resistant, 100% Cotton	ASTM 1930 Cert.	Yes

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

# H1N FR Gear

## Specification Sheet

<b>Material Weight</b>	7.0 oz.	<b>ASTM F1506 Cert.</b>	Yes
<b>Flame Resistant</b>	Yes	<b>Hazard Risk Category</b>	CAT2
<b>Front Closure</b>	Button		

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
H1NS	34-36	Regular	N/A	N/A	N/A	N/A	16.464
H1NM	38-40	Regular	N/A	N/A	N/A	N/A	17.808
H1NL	42-44	Regular	N/A	N/A	N/A	N/A	19.728
H1NXL	46-48	Regular	N/A	N/A	N/A	N/A	20.736
H1NX2	50-52	Regular	N/A	N/A	N/A	N/A	22.272
H1NX3	54-56	Regular	N/A	N/A	N/A	N/A	23.520
H1NX4	58-60	Regular	N/A	N/A	N/A	N/A	25.272
H1NX5	62-64	Regular	N/A	N/A	N/A	N/A	26.976