



**MCR  
SAFETY**

**P2D  
FR Gear  
Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's rugged FR Gear. The P2D FR jeans feature a comfortable 98% Cotton and 2% Spandex material that move and stretch when you do. These FR jeans meet NFPA 2112-2018 Standards for Flame Resistant Garments and NFPA 70E Standards for Electrical Safety in the Workplace. The dark blue denim color helps hide the grit and grime you come into contact with throughout your work day. These FR pants feature a zippered fly front with button top, 5 pockets, and is sewn with FR thread. Provides CAT2 protection, achieving an Arc Thermal Performance Value (ATPV) of 13 cal/cm<sup>2</sup>. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

Sizes available: Waist 32" to 44" / Length 30" to 38"



**FEATURES:**

- Outstanding comfort with lightweight and stretchable blend
- 10.5 ounce 98% Cotton 2% Spandex FR fabric
- CAT2 FR Jeans provide ATPV of 13 cal/cm<sup>2</sup>
- Zipper front with button top
- 5 pockets
- Oeko-Tex Standard 100
- NFPA 2112 and NFPA 70E
- Third party certified by UL
- Designer style

**APPLICATIONS:**

Agriculture, Construction, Oil and Gas Industry, Propane delivery, Utilities

**TECHNICAL DATA FOR: P2D**

<b>Series</b>	FR Gear	<b>NFPA 2112-2018 Certified</b>	Yes
<b>Category</b>	FR Gear	<b>NFPA 70E-2018 Certified</b>	Yes

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**P2D**  
**FR Gear**  
Specification Sheet

<b>Material</b>	98% Cotton / 2% Spandex	<b>ASTM 1930 Cert.</b>	Yes
<b>Components</b>	Jeans	<b>ASTM F1506 Cert.</b>	Yes
<b>Flame Resistant</b>	Yes	<b>Hazard Risk Category</b>	CAT2
<b>Front Closure</b>	Zipper & Button		

Item No:	Waist Size	Inseam	Outseam	Cuff	Case Pack	Case Weight
P2D3238	32	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D32U	32	38 Inches	N/A	N/A	12 Each	19.560 LBS.
P2D3232	32	32 Inches	N/A	N/A	12 Each	18.960 LBS.
P2D3234	32	34 Inches	N/A	N/A	12 Each	19.200 LBS.
P2D3236	32	36 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D3230	32	30 Inches	N/A	N/A	12 Each	18.264 LBS.
P2D3432	34	32 Inches	N/A	N/A	12 Each	19.224 LBS.
P2D3430	34	30 Inches	N/A	N/A	12 Each	19.044 LBS.
P2D3438	34	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D34U	34	38 Inches	N/A	N/A	12 Each	19.980 LBS.
P2D3436	34	N/A	N/A	N/A	12 Each	20.700 LBS.
P2D3434	34	34 Inches	N/A	N/A	12 Each	19.524 LBS.
P2D3638	36	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D36U	36	38 Inches	N/A	N/A	12 Each	21.144 LBS.
P2D3636	36	N/A	N/A	N/A	12 Each	20.700 LBS.
P2D3634	36	34 Inches	N/A	N/A	12 Each	19.704 LBS.
P2D3630	36	30 Inches	N/A	N/A	12 Each	18.960 LBS.
P2D3632	36	32 Inches	N/A	N/A	12 Each	19.380 LBS.
P2D3832	38	32 Inches	N/A	N/A	12 Each	20.244 LBS.
P2D3830	38	30 Inches	N/A	N/A	12 Each	19.680 LBS.
P2D3838	38	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D3834	38	34 Inches	N/A	N/A	12 Each	20.580 LBS.
P2D38U	38	38 Inches	N/A	N/A	12 Each	21.660 LBS.
P2D3836	38	36 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D4034	40	34 Inches	N/A	N/A	12 Each	22.596 LBS.
P2D4036	40	36 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D4030	40	30 Inches	N/A	N/A	12 Each	20.904 LBS.
P2D4038	40	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D40U	40	38 Inches	N/A	N/A	12 Each	24.144 LBS.
P2D4032	40	32 Inches	N/A	N/A	12 Each	21.504 LBS.
P2D4230	42	30 Inches	N/A	N/A	12 Each	21.240 LBS.
P2D4232	42	32 Inches	N/A	N/A	12 Each	21.900 LBS.
P2D4234	42	34 Inches	N/A	N/A	12 Each	22.344 LBS.
P2D4236	42	36 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D4238	42	N/A	N/A	N/A	12 Each	20.700 LBS.
P2D42U	42	38 Inches	N/A	N/A	12 Each	22.980 LBS.
P2D4432	44	32 Inches	N/A	N/A	12 Each	22.680 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**P2D**  
**FR Gear**  
**Specification Sheet**

<b>Item No:</b>	<b>Waist Size</b>	<b>Inseam</b>	<b>Outseam</b>	<b>Cuff</b>	<b>Case Pack</b>	<b>Case Weight</b>
P2D4434	44	34 Inches	N/A	N/A	12 Each	23.220 LBS.
P2D4436	44	36 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D44U	44	38 Inches	N/A	N/A	12 Each	23.904 LBS.
P2D4438	44	38 Inches	N/A	N/A	12 Each	20.700 LBS.
P2D4430	44	30 Inches	N/A	N/A	12 Each	22.140 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved