



**MCR
SAFETY**

**PT2N
FR Gear**

Specification Sheet

PRODUCT DESCRIPTION:

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's rugged FR Gear. The PT2 Flame Resistant FR work pants feature a comfortable and rugged 88% Cotton and 20% Nylon fabric with the features and protection you need to get you safely through the day. These FR work pants meet NFPA 2112 Standards for Flame Resistant Garments and NFPA 70E Standards for Electrical Safety in the Workplace. Other features include oversized and reinforced belt loops, pleated knees that allow for easier bending and stooping, and a zippered fly front with button top. With 2 back pockets, two front pockets and 2 tool pockets on the right leg, these work pants have plenty of room to carry what you need. Provides CAT2 protection, achieving an Arc Thermal Performance Value (ATPV) of 8.6 cal/cm². All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee. Available in Tan and Navy. Looking for the best flame resistant work pants? Look no further than MCR Safety!



FEATURES:

- CAT 2 FR Work Pants
- Premium 88/12 blend for comfort and durability
- Total of 6 pockets
- NFPA 2112 and NFPA 70E
- ATPV 8.6 cal/cm²
- Double Stitched for durability and wear
- Pleated knees, added material for ease of bending
- CAT2 and NFPA labels sewn onto pants

APPLICATIONS:

Carpentry, Construction, Manufacturing, Oil and Gas Industry, Utilities

TECHNICAL DATA FOR: PT2N

Series	FR Gear	NFPA 2112-2018 Certified	Yes
Category	FR Gear	NFPA 70E-2018 Certified	Yes



MCR
SAFETY

PT2N FR Gear

Specification Sheet

Material	Flame Resistant, 88% Cotton / 12% Nylon	ASTM 1930 Cert.	Yes
Components	1 pc Waist Pant	ASTM F1506 Cert.	Yes
Flame Resistant	Yes	Hazard Risk Category	CAT2
Front Closure	Zipper & Button	Color	Navy Blue

Item No:	Waist Size	Inseam	Outseam	Cuff	Case Pack	Case Weight
PT2N2836	28	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N2832	28	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N2830	28	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N2834	28	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N28U	28	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2N3036	30	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3034	30	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3030	30	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N30U	30	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2N3032	30	N/A	N/A	N/A	12 Each	13.836 LBS.
PT2N32U	32	38 Inches	N/A	N/A	24 Each	35.832 LBS.
PT2N3236	32	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3234	32	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3230	32	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3232	32	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N3434	34	34 Inches	N/A	N/A	24 Each	35.568 LBS.
PT2N3432	34	32 Inches	N/A	N/A	24 Each	34.296 LBS.
PT2N34U	34	38 Inches	N/A	N/A	24 Each	37.008 LBS.
PT2N3430	34	30 Inches	N/A	N/A	24 Each	34.056 LBS.
PT2N3436	34	36 Inches	N/A	N/A	24 Each	31.704 LBS.
PT2N3630	36	30 Inches	N/A	N/A	24 Each	35.136 LBS.
PT2N3636	36	36 Inches	N/A	N/A	24 Each	37.152 LBS.
PT2N3634	36	34 Inches	N/A	N/A	24 Each	36.672 LBS.
PT2N3632	36	32 Inches	N/A	N/A	24 Each	35.448 LBS.
PT2N36U	36	38 Inches	N/A	N/A	24 Each	38.448 LBS.
PT2N3830	38	30 Inches	N/A	N/A	24 Each	36.432 LBS.
PT2N3834	38	34 Inches	N/A	N/A	24 Each	37.752 LBS.
PT2N3832	38	32 Inches	N/A	N/A	24 Each	36.096 LBS.
PT2N3836	38	36 Inches	N/A	N/A	24 Each	38.112 LBS.
PT2N38U	38	38 Inches	N/A	N/A	24 Each	39.336 LBS.
PT2N40U	40	38 Inches	N/A	N/A	24 Each	40.608 LBS.
PT2N4036	40	36 Inches	N/A	N/A	24 Each	39.288 LBS.
PT2N4034	40	34 Inches	N/A	N/A	24 Each	38.712 LBS.
PT2N4032	40	32 Inches	N/A	N/A	24 Each	37.392 LBS.
PT2N4030	40	30 Inches	N/A	N/A	24 Each	37.104 LBS.
PT2N4230	42	30 Inches	N/A	N/A	24 Each	38.184 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

PT2N FR Gear

Specification Sheet

Item No:	Waist Size	Inseam	Outseam	Cuff	Case Pack	Case Weight
PT2N4236	42	36 Inches	N/A	N/A	24 Each	40.536 LBS.
PT2N4234	42	34 Inches	N/A	N/A	24 Each	39.792 LBS.
PT2N42U	42	38 Inches	N/A	N/A	24 Each	41.760 LBS.
PT2N4232	42	32 Inches	N/A	N/A	24 Each	38.616 LBS.
PT2N44U	44	38 Inches	N/A	N/A	24 Each	43.008 LBS.
PT2N4432	44	32 Inches	N/A	N/A	24 Each	39.648 LBS.
PT2N4430	44	30 Inches	N/A	N/A	24 Each	39.072 LBS.
PT2N4434	44	34 Inches	N/A	N/A	24 Each	40.824 LBS.
PT2N4436	44	36 Inches	N/A	N/A	24 Each	41.880 LBS.
PT2N4632	46	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4630	46	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4634	46	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4636	46	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N46U	46	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2N48U	48	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2N4834	48	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4832	48	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4830	48	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N4836	48	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N50U	50	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2N5036	50	36 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N5034	50	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N5032	50	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2N5030	50	30 Inches	N/A	N/A	12 Each	13.836 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved