



**MCR  
SAFETY**

**PT2T  
FR Gear**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's rugged FR Gear. The PT2 Flame Resistant FR work pants feature a comfortable and rugged 88% Cotton and 20% Nylon fabric with the features and protection you need to get you safely through the day. These FR work pants meet NFPA 2112 Standards for Flame Resistant Garments and NFPA 70E Standards for Electrical Safety in the Workplace. Other features include oversized and reinforced belt loops, pleated knees that allow for easier bending and stooping, and a zippered fly front with button top. With 2 back pockets, two front pockets and 2 tool pockets on the right leg, these work pants have plenty of room to carry what you need. Provides CAT2 protection, achieving an Arc Thermal Performance Value (ATPV) of 8.6 cal/cm<sup>2</sup>. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee. Available in Tan and Navy. Looking for the best flame resistant work pants? Look no further than MCR Safety!



**FEATURES:**

- CAT 2 FR Work Pants
- Premium 88/12 blend for comfort and durability
- Total of 6 pockets
- NFPA 2112 and NFPA 70E
- ATPV 8.6 cal/cm<sup>2</sup>
- Double Stitched for durability and wear
- Pleated knees, added material for ease of bending
- CAT2 and NFPA labels sewn onto pants

**APPLICATIONS:**

Carpentry, Construction, Manufacturing, Oil and Gas Industry, Utilities

**TECHNICAL DATA FOR: PT2T**

<b>Series</b>	FR Gear	<b>NFPA 2112-2018 Certified</b>	Yes
---------------	---------	---------------------------------	-----

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

# PT2T FR Gear

## Specification Sheet

<b>Category</b>	FR Gear	<b>NFPA 70E-2018 Certified</b>	Yes
<b>Material</b>	Flame Resistant, 88% Cotton / 12% Nylon	<b>ASTM 1930 Cert.</b>	Yes
<b>Components</b>	1 pc Waist Pant	<b>ASTM F1506 Cert.</b>	Yes
<b>Flame Resistant</b>	Yes	<b>Hazard Risk Category</b>	CAT2
<b>Front Closure</b>	Zipper & Button	<b>Color</b>	Tan

Item No:	Waist Size	Inseam	Outseam	Cuff	Case Pack	Case Weight
PT2T2830	28	30 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2T28U	28	34 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2T2834	28	34 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2T2832	28	32 Inches	N/A	N/A	12 Each	13.836 LBS.
PT2T3030	30	30 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T30U	30	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2T3036	30	36 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3034	30	34 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3032	30	32 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3236	32	36 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3234	32	34 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3230	32	30 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T3232	32	32 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T32U	32	38 Inches	N/A	N/A	24 Each	36.552 LBS.
PT2T3436	34	36 Inches	N/A	N/A	24 Each	37.032 LBS.
PT2T34U	34	38 Inches	N/A	N/A	24 Each	37.728 LBS.
PT2T3434	34	34 Inches	N/A	N/A	24 Each	36.024 LBS.
PT2T3430	34	30 Inches	N/A	N/A	24 Each	34.488 LBS.
PT2T3432	34	32 Inches	N/A	N/A	24 Each	35.184 LBS.
PT2T36U	36	38 Inches	N/A	N/A	24 Each	39.240 LBS.
PT2T3634	36	34 Inches	N/A	N/A	24 Each	37.320 LBS.
PT2T3636	36	36 Inches	N/A	N/A	24 Each	38.256 LBS.
PT2T3630	36	30 Inches	N/A	N/A	24 Each	35.472 LBS.
PT2T3632	36	32 Inches	N/A	N/A	24 Each	36.408 LBS.
PT2T38U	38	38 Inches	N/A	N/A	24 Each	40.128 LBS.
PT2T3836	38	36 Inches	N/A	N/A	24 Each	39.408 LBS.
PT2T3830	38	30 Inches	N/A	N/A	24 Each	36.432 LBS.
PT2T3832	38	32 Inches	N/A	N/A	24 Each	37.368 LBS.
PT2T3834	38	34 Inches	N/A	N/A	24 Each	38.352 LBS.
PT2T4034	40	34 Inches	N/A	N/A	24 Each	39.480 LBS.
PT2T40U	40	38 Inches	N/A	N/A	24 Each	41.328 LBS.
PT2T4032	40	32 Inches	N/A	N/A	24 Each	38.664 LBS.
PT2T4036	40	36 Inches	N/A	N/A	24 Each	40.416 LBS.
PT2T4030	40	30 Inches	N/A	N/A	24 Each	37.512 LBS.
PT2T4232	42	32 Inches	N/A	N/A	24 Each	39.504 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**PT2T**  
**FR Gear**

**Specification Sheet**

<b>Item No:</b>	<b>Waist Size</b>	<b>Inseam</b>	<b>Outseam</b>	<b>Cuff</b>	<b>Case Pack</b>	<b>Case Weight</b>
PT2T4230	42	30 Inches	N/A	N/A	24 Each	38.568 LBS.
PT2T4236	42	36 Inches	N/A	N/A	240 Each	42.240 LBS.
PT2T4234	42	34 Inches	N/A	N/A	24 Each	40.224 LBS.
PT2T42U	42	38 Inches	N/A	N/A	24 Each	42.576 LBS.
PT2T44U	44	38 Inches	N/A	N/A	24 Each	43.632 LBS.
PT2T4436	44	36 Inches	N/A	N/A	24 Each	32.328 LBS.
PT2T4430	44	30 Inches	N/A	N/A	24 Each	39.672 LBS.
PT2T4432	44	32 Inches	N/A	N/A	24 Each	41.472 LBS.
PT2T4434	44	34 Inches	N/A	N/A	24 Each	41.544 LBS.
PT2T46U	46	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2T4634	46	34 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4636	46	36 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4632	46	32 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4630	46	30 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4836	48	36 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4834	48	34 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4830	48	30 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T4832	48	32 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T48U	48	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2T50U	50	38 Inches	N/A	N/A	24 Each	0.000 LBS.
PT2T5036	50	36 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T5034	50	34 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T5032	50	32 Inches	N/A	N/A	12 Each	20.700 LBS.
PT2T5030	50	30 Inches	N/A	N/A	12 Each	20.700 LBS.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2020 MCR Safety - All Rights Reserved