



**MCR
SAFETY**

SBC2013

FR Gear

Specification Sheet

PRODUCT DESCRIPTION:

MCR Safety FR Clothing powered by Summit Breeze® Technology is the wave of the future when it pertains to protecting the workforce against flash fire and arc flash hazards. This product provides superior protection by incorporating our patented triple vent technology into our coveralls and shirts which protects the user on multiple levels. Data from the American Burn Institute proves inhalation injury increases the mortality rate from flash fire significantly. The Summit Breeze vented design keeps the wearer cooler, decreasing the chances of heat stress while also redirecting a majority of the off gas away from the breathing zone during a flash fire or arc flash event.



FEATURES:

- 7-ounce 100% Cotton Material
- Patented Triple Vent Technology
- 2-way FR zipper front
- Lay down collar with hook and loop tab for stand-up option
- 2 Chest flap pockets with zippered closure
- Mesh Gas Monitor pocket on right chest
- Dual left and right front hip pockets, each with pass through pocket
- Two roomy back hip pockets
- Tool pocket on right leg
- Pencil pocket on left sleeve
- Triple needle stitched with Nomex® thread in high wear areas for durability
- Elastic waist back for movement and fit
- Adjustable two snap closure on each sleeve cuff
- Adjustable snap ankle closure
- 1 Inch FR silver reflective stripes on arms and legs
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm², CAT2
- NFPA 2112 UL Certified, NFPA 70E
- ASTM 1930 Tested, Certified
- Sizes available: 38-62 Regular and Tall
- Available in Gray, Navy, Tan, Red, and Royal Blue

APPLICATIONS:

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

SBC2013

FR Gear

Specification Sheet

Oil and Gas Industry, Utilities

TECHNICAL DATA FOR: SBC2013

Series	Summit Breeze	NFPA 2112-2018 Certified	Yes
Category	FR Gear	NFPA 70E-2018 Certified	Yes
Color	Tan	ASTM 1930 Cert.	Yes
Chest	36-38	ASTM F1506 Cert.	Yes
Material	Flame Resistant, 100% Cotton	Hazard Risk Category	CAT2
Material Weight	7.0 oz.		
Components	1 pc Coverall		
Flame Resistant	Yes		
Front Closure	Zipper & Button		

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
SBC201356	N/A	Regular	N/A	N/A	N/A	Tan	43.635
SBC201346	N/A	Regular	N/A	N/A	N/A	Tan	38.940
SBC201354T	N/A	Tall	N/A	N/A	N/A	Tan	44.400
SBC201344T	N/A	Tall	N/A	N/A	N/A	Tan	38.400
SBC201354	N/A	Regular	N/A	N/A	N/A	Tan	42.540
SBC201344	N/A	Regular	N/A	N/A	N/A	Tan	36.555
SBC201338	N/A	Regular	N/A	N/A	N/A	Tan	33.180
SBC201352T	N/A	Tall	N/A	N/A	N/A	Tan	43.215
SBC201342T	N/A	Tall	N/A	N/A	N/A	Tan	28.695
SBC201362T	N/A	Tall	N/A	N/A	N/A	Tan	43.275
SBC201352	N/A	Regular	N/A	N/A	N/A	Tan	44.475
SBC201342	N/A	Regular	N/A	N/A	N/A	Tan	36.960
SBC201362	N/A	Regular	N/A	N/A	N/A	Tan	48.555
SBC201350T	N/A	Tall	N/A	N/A	N/A	Tan	41.715
SBC201340T	N/A	Tall	N/A	N/A	N/A	Tan	37.215
SBC201360T	N/A	Tall	N/A	N/A	N/A	Tan	43.305
SBC201350	N/A	Regular	N/A	N/A	N/A	Tan	38.895
SBC201340	N/A	Regular	N/A	N/A	N/A	Tan	34.320
SBC201360	N/A	Regular	N/A	N/A	N/A	Tan	36.636
SBC201348T	N/A	Tall	N/A	N/A	N/A	Tan	40.125
SBC201338T	N/A	Tall	N/A	N/A	N/A	Tan	35.100
SBC201358T	N/A	Tall	N/A	N/A	N/A	Tan	46.905
SBC201348	N/A	Regular	N/A	N/A	N/A	Tan	38.715
SBC201364	N/A	Regular	N/A	N/A	N/A	Tan	39.876
SBC201358	N/A	Regular	N/A	N/A	N/A	Tan	44.295

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

SBC2013

FR Gear

Specification Sheet

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
SBC201346T	N/A	Tall	N/A	N/A	N/A	Tan	39.240
SBC201364T	N/A	Tall	N/A	N/A	N/A	Tan	45.825
SBC201356T	N/A	Tall	N/A	N/A	N/A	Tan	46.185

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved