



**MCR  
SAFETY**

# DC1RR FR Gear

## Specification Sheet

### **PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The DC1 coverall features a comfortable 88% cotton 12% Nylon blend that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular or Tall Sizes, Red and Gray**

**Sizes available: 34-66**



### **FEATURES:**

- **Available in Regular or Tall Sizes, Red and Gray**
- Silver reflective tape on legs, sleeves and shoulders
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard / Risk Cat HRC2 / 9.3 cal/cm<sup>2</sup>
- Max Comfort™ 7 oz. 88% cotton / 12% nylon FR twill fabric
- Sewn with Nomex® Flame Resistant thread
- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets – left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg
- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

# DC1RR FR Gear

## Specification Sheet

### APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,  
Mining

### TECHNICAL DATA FOR: DC1RR

|                        |  |                             |                                |
|------------------------|--|-----------------------------|--------------------------------|
| <b>Series</b>          | Max Comfort  | <b>Front Closure</b>        | YKK 2-Way Zipper & Triple Snap |
| <b>Category</b>        | FR Gear  | <b>NFPA 2112 Cert.</b>      | Yes                            |
| <b>Color</b>           | Red  | <b>NFPA 70E Cert.</b>       | Yes                            |
| <b>Size</b>            | See Spec Sheet                                     | <b>ASTM 1930 Cert.</b>      | Yes                            |
| <b>Material</b>        | Flame Resistant, 88% Cotton / 12% Nylon - Max Comf | <b>ASTM F1506 Cert.</b>     | Yes                            |
| <b>Material Weight</b> | 7.0 oz.  | <b>Hazard Risk Category</b> | HRC2                           |
| <b>Components</b>      | 1 pc Coverall                                      |                             |                                |
| <b>Flame Resistant</b> | Flame Resistant                                    |                             |                                |

| Item No: | Chest | Sleeve | Back Length | Waist | Inseam | Color | Case Weight |
|----------|-------|--------|-------------|-------|--------|-------|-------------|
| DC1RR34  | 34    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1RR36T | 36    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1RR36  | 36    | N/A    | N/A         | N/A   | 30     | Red   | 21.448      |
| DC1RR38  | 38    | N/A    | N/A         | N/A   | 30     | Red   | 22.192      |
| DC1RR38T | 38    | N/A    | N/A         | N/A   | 32     | Red   | 22.624      |
| DC1RR40  | 40    | N/A    | N/A         | N/A   | 30     | Red   | 22.984      |
| DC1RR40T | 40    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1RR42  | 42    | N/A    | N/A         | N/A   | 30     | Red   | 23.064      |
| DC1RR42T | 42    | N/A    | N/A         | N/A   | 32     | Red   | 23.848      |
| DC1RR44T | 44    | N/A    | N/A         | N/A   | 32     | Red   | 24.160      |
| DC1RR44  | 44    | N/A    | N/A         | N/A   | 30     | Red   | 23.792      |
| DC1RR46T | 46    | N/A    | N/A         | N/A   | 32     | Red   | 24.976      |
| DC1RR46  | 46    | N/A    | N/A         | N/A   | 30     | Red   | 24.392      |
| DC1RR48  | 48    | N/A    | N/A         | N/A   | 30     | Red   | 25.008      |
| DC1RR48T | 48    | N/A    | N/A         | N/A   | 32     | Red   | 25.592      |
| DC1RR50T | 50    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1RR50  | 50    | N/A    | N/A         | N/A   | 30     | Red   | 25.712      |
| DC1RR52T | 52    | N/A    | N/A         | N/A   | 32     | Red   | 26.968      |
| DC1RR52  | 52    | N/A    | N/A         | N/A   | 30     | Red   | 26.000      |
| DC1RR54T | 54    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1RR54  | 54    | N/A    | N/A         | N/A   | 30     | Red   | 26.560      |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**DC1RR**  
**FR Gear**

**Specification Sheet**

| <b>Item No:</b> | <b>Chest</b> | <b>Sleeve</b> | <b>Back Length</b> | <b>Waist</b> | <b>Inseam</b> | <b>Color</b> | <b>Case Weight</b> |
|-----------------|--------------|---------------|--------------------|--------------|---------------|--------------|--------------------|
| DC1RR56T        | 56           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1RR56         | 56           | N/A           | N/A                | N/A          | 30            | Red          | 26.700             |
| DC1RR58T        | 58           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1RR58         | 58           | N/A           | N/A                | N/A          | 30            | Red          | 27.850             |
| DC1RR60         | 60           | N/A           | N/A                | N/A          | 30            | Red          | 28.620             |
| DC1RR60T        | 60           | N/A           | N/A                | N/A          | 32            | Red          | 25.100             |
| DC1RR62T        | 62           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1RR64T        | 64           | N/A           | N/A                | N/A          | 32            | Red          | 25.800             |
| DC1RR66T        | 66           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved