



**MCR  
SAFETY**

**DC4B**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The DC4 coveralls feature a comfortable 88% cotton 12% Nylon twill material that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. It also features FR Reflective Material for Hi-Visibility in low light areas. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular or Tall Sizes, Navy**



**FEATURES:**

- ASTM F1506-08 Electric Arc Protection Standard
- NFPA 70E-2012 Hazard/ Risk Category HRC2
- ATPV ASTM 1959 11.7 cal/cm<sup>2</sup>, HRC 2
- CAN/CGSB155.20-2000
- CAN/CGSB155.22-97, OSHA 29 CFR 1910.269
- CAN/CSA Z96-09 CLASS 1/LEVEL FR
- GARMENT IS UL CERTIFIED TO CANADIAN STANDARDS
- **Max Comfort™ 9 oz. 88% Cotton/12% Nylon FR twill fabric**
- Two patch pockets on chest with snap closure
- Two-way concealed 5M -2- way nomex FR brass break-away zipper
- Two front set-in hip pockets
- Side vent pass throughs
- Two back patch pockets with concealed snap closures
- Bi-swing back for ease of movement and comfort
- Vented adjustable cuff with interior fabric coverage, complete comfort with no exposure
- One-piece, topstitched, lay flat collar
- Sewn with FR Aramid thread
- FR yellow-silver-yellow reflective tape: arms, legs, complete stripes on front
- FR yellow-silver-yellow reflective tape: X on back with complete belt
- Pen pocket on left sleeve

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**DC4B**

Specification Sheet

**APPLICATIONS:**

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,  
Mining

**TECHNICAL DATA FOR: DC4B**

<b>Series</b>	Max Comfort	<b>Front Closure</b>	YKK 2-Way Zipper & Triple Snap
<b>Material</b>	Flame Resistant, 88% Cotton / 12% Nylon - Max Comf	<b>NFPA 2112 Cert.</b>	Yes
<b>Material Weight</b>	9.0 oz.	<b>NFPA 70E Cert.</b>	Yes
<b>Flame Resistant</b>	Flame Resistant	<b>OSHA 29 CFR 1910.269</b>	Yes
		<b>CAN/CGSB 155.20-2000</b>	Yes
		<b>CAN/CGSB 155.22-97</b>	Yes
		<b>CAN-CSA Z96-09 CLASS 1/LE</b>	Yes
		<b>ASTM 1930 Cert.</b>	Yes
		<b>ASTM F1506 Cert.</b>	Yes
		<b>Hazard Risk Category</b>	HRC2

Item No:	Chest	Sleeve	Back Length	Waist	Inseam	Color	Case Weight
DC4B60T	N/A	N/A	N/A	N/A	N/A	N/A	49.944
DC4B44T	N/A	N/A	N/A	N/A	N/A	N/A	40.536
DC4B40T	N/A	N/A	N/A	N/A	N/A	N/A	37.896
DC4B42	N/A	N/A	N/A	N/A	N/A	N/A	39.816
DC4B46T	N/A	N/A	N/A	N/A	N/A	N/A	31.060
DC4B56T	N/A	N/A	N/A	N/A	N/A	N/A	41.352
DC4B48T	N/A	N/A	N/A	N/A	N/A	N/A	31.060
DC4B38	N/A	N/A	N/A	N/A	N/A	N/A	36.636
DC4B60	N/A	N/A	N/A	N/A	N/A	N/A	51.336
DC4B54T	N/A	N/A	N/A	N/A	N/A	N/A	46.596
DC4B46	N/A	N/A	N/A	N/A	N/A	N/A	41.724
DC4B58T	N/A	N/A	N/A	N/A	N/A	N/A	48.780
DC4B54	N/A	N/A	N/A	N/A	N/A	N/A	47.784
DC4B50T	N/A	N/A	N/A	N/A	N/A	N/A	43.236
DC4B42T	N/A	N/A	N/A	N/A	N/A	N/A	39.684
DC4B34	N/A	N/A	N/A	N/A	N/A	N/A	31.060
DC4B40	N/A	N/A	N/A	N/A	N/A	N/A	38.904

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved