



**MCR  
SAFETY**

**PK5B**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The PK5B Extreme Climate Insulated FR Parka features a comfortable 88% cotton 12% nylon material with a modacrylic quilted lining and a wind/vapor barrier for warmth and protection. Reflective Stripes on arms, belt and back. Max Comfort™ material meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular and Tall Sizing, Royal Blue**



**FEATURES:**

- ASTM F1506 Electric Arc Protection Standard
- NFPA 70E-2012 Hazard/ Risk Category HRC3
- ATPV ASTM 1959 38 cal/cm<sup>2</sup>, HRC 3
- CAN/CGSB155.20-2000
- CAN/CGSB155.22-97, OSHA 29 CFR 1910.269
- CAN/CSA Z96-09 CLASS 1/LEVEL FR
- Outershell Fabric and Garment Components are UL Certified
- **Max Comfort™ 9 oz. 88% Cotton/12% Nylon FR twill fabric**
- **11.5 oz. modacrylic insulation / 3 oz. wind & vapor barrier**
- Double needle top stitch construction on main seams
- Protective storm flap #10 – 2-way nomex FR brass break-away zipper
- Two double entry hand pockets w flap / snap closure
- Hook and loop closure at neck – wrap for protection and warmth
- 2 patch pockets on chest with hidden snap closures
- FR Modacrylic knit cuffs inside sleeves – warmth and protection
- Adjustable drawcord in waist with FR heat resistant grippers
- Sewn with FR Aramid thread
- All metal in garment is protected to avoid exposure to

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**PK5B**

Specification Sheet

skin

- 3M FR yellow-silver-yellow reflective tape on arms, belt and "X" back
- Interior patch pocket – chest
- Bi-swing back for ease of movement and comfort
- Pen pocket on sleeve

**APPLICATIONS:**

Oil and Gas Industry, Utilities, Electronic Assembly, Mining, Fracking

**TECHNICAL DATA FOR: PK5B**

<b>Series</b>	Max Comfort	<b>Front Closure</b>	Zipper & Snaps
<b>Size</b>	Large	<b>NFPA 2112 Cert.</b>	Yes
<b>Material</b>	Flame Resistant, 88% Cotton / 12% Nylon - Max Comf	<b>NFPA 70E Cert.</b>	Yes
<b>Material Weight</b>	9.0 oz.	<b>OSHA 29 CFR 1910.269</b>	Yes
<b>Flame Resistant</b>	Flame Resistant	<b>CAN/CGSB 155.20-2000</b>	Yes
		<b>CAN/CGSB 155.22-97</b>	Yes
		<b>CAN-CSA Z96-09 CLASS 1/LE</b>	Yes
		<b>ASTM 1930 Cert.</b>	Yes
		<b>ASTM F1506 Cert.</b>	Yes
		<b>Hazard Risk Category</b>	HRC3

Item No:	Chest	Sleeve	Back Length	Waist	Inseam	Color	Case Weight
PK5BXL	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX5	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX3	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BM	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX5T	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BLT	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BS	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX2	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX4	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX4T	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX2T	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BX3T	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BXLT	N/A	N/A	N/A	N/A	N/A	N/A	35.940
PK5BL	N/A	N/A	N/A	N/A	N/A	N/A	35.940

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**PK5B**

**Specification Sheet**

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved