



**MCR
SAFETY**

SS1 Safety Glasses

Value Series Specification Sheet

PRODUCT DESCRIPTION:

The SS1 series features a one piece polycarbonate lens and a stylish wrap-around design that offers the user a wide area of protection. Integral side shields offer protection from particles entering the eyewear from the sides. The SS1 provides an exceptional wide angle of unrestricted vision allowing you to safely assess your environment. The molded-in nose bridge comfortably fits a wide variety of faces. The UV-AF™ Anti-Fog coated lens are Eco-friendly and UV cured, providing 3 times greater Anti-Fog performance than generic Anti-Fog safety glasses. Choose the best safety glasses, choose MCR Safety!

To learn more about our anti-fog styles and anti-fog coating options click [here!](#)



FEATURES:

- Cost efficient single lens design
- Spatula temple with extendable adjustment
- UV-AF™ Anti-Fog Lens Coating
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

TECHNICAL DATA FOR: SS110AF

Series	SS1	ANSI Z87+	Yes
Category	Safety Glasses		
Anti-Fog	Yes		
Scratch Resistant	Yes		
Frame Material	Nylon		
Packaging	White Inner Box		
Case Pack	144	Case Weight	16.362 lb.
Case Dimensions	22.047 x 14.173 x 13.386	Made In	Taiwan

Item No:	Lens Options:	Lens Coating:	Scratch Resistant:	VLT%:	Frame Color:	Temple Color:	Temple Sleeve:
SS010	Clear	Uncoated	No	90	Black	Black	N/A



MCR
SAFETY

SS1
Safety Glasses
Value Series
Specification Sheet

Item No:	Lens Options:	Lens Coating:	Scratch Resistant:	VLT%:	Frame Color:	Temple Color:	Temple Sleeve:
SS110	Clear	Duramass Hard Coat	Yes	90	Black	Black	N/A
SS110AF	Clear	UV-AF Anti-Fog	Yes	90	Black	Black	N/A
SS112	Gray	Duramass Hard Coat	Yes	13	Black	Black	N/A
SS120	Clear	Duramass Hard Coat	Yes	90	Blue	Blue	N/A
SS130	Clear	Duramass Hard Coat	Yes	90	Blue	Red / White	N/A

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved