



**MCR
SAFETY**

4950 Mustang Welder Specification Sheet

PRODUCT DESCRIPTION:

Only the finest top grain leather go into our MIG/TIG welding options. Sewn with DuPont™ Kevlar® thread to resist sparks and sharp metals which can unravel most gloves, you will find these gloves a great long-term value. Low heat welding often requires optimal dexterity which affords great attention to detail. You'll find features on the 4950 include Premium grade cream grain cow leather, 4.5" russet split gauntlet cuff and wing thumb.

FEATURES:

- Premium Top Grain Cowhide
- Wing Thumb
- Sewn with super-strong, heat-resistant DuPont™ Kevlar® thread
- 4.5" Split Cowhide Gauntlet Cuff

APPLICATIONS:

Construction, Mig/Tig, Millwright operations , Ship building, Welding



TECHNICAL DATA FOR: 4950

| | |
|-----------------------|------------------|
| Series | Mustang |
| Material Group | Leather |
| Product Type | Welder |
| Glove Size | Large |
| Material | Leather |
| Leather Cut | Grain |
| Leather Type | Cow Skin |
| Grade | Premium |
| Features | Sewn With KEVLAR |
| Lining | Unlined |
| Pattern | Gunn |
| Thumb Style | Wing |
| Thickness | 0.8 - 1.4 mm |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved



MCR
SAFETY

4950 Mustang Welder Specification Sheet



| Item No: | Size: | A: | B: | C: | Case Weight | UOM Weight |
|----------|-----------|--------|-------|-------|-------------|------------|
| 4950LB | Large | 12.37 | 6.25 | 4.50 | 61.872 lb. | 5.156 |
| 4950M | Medium | 12.130 | 5.770 | 4.500 | 27.792 lb. | 4.632 |
| 4950S | Small | 12.63 | 5.77 | 5 | 26.400 lb. | 4.400 |
| 4950XL | X - Large | 12.630 | 6.520 | 4.500 | 34.878 lb. | 5.813 |
| 4950L | Large | 12.370 | 6.250 | 4.500 | 33.318 lb. | 5.553 |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved