



**MCR  
SAFETY**

**93842**

**Cut Protection  
Specification Sheet**

**PRODUCT DESCRIPTION:**

This MCR Safety Cut Pro™ glove with Hero™ technology is made of a high performance cut resistant material that achieves high levels of cut and comfort. The blended Kevlar®, stainless steel, and other fibers are used for general purpose work applications to provide cut and abrasion resistance when working with sharp objects. Some styles are stripped or dotted to provide a better grip and increase durability. The 93842 has an uncoated 13 gauge Kevlar®/Stainless Steel/Spandex fiber shell with PVC fingertips. This lightweight material gives you the cut resistance you need with outstanding fit, comfort, and breathability.



**FEATURES:**

- 13 gauge DuPont™ Kevlar® /Stainless Steel/Spandex
- Allows manual dexterity
- Certified by DuPont™ as a licensed glove manufacturer
- High comfort level, great manual dexterity
- PVC Fingertips

**APPLICATIONS:**

Glass handling, Manufacturing, Recycling, Warehousing, HVAC

**TECHNICAL DATA FOR: 93842**

<b>Material Group</b>	Synthetic	<b>ANSI Cut</b>	A6
<b>Product Type</b>	Cut Protection		
<b>Glove Size</b>	Large		
<b>Gauge</b>	13 Gauge		
<b>Material</b>	Kevlar / Steel		
<b>Made In</b>	Mexico		

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

# 93842

**Cut Protection  
Specification Sheet**



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
93842XL	X - Large	0	0	N/A	15.055 lb.	1.255
93842L	Large	0	0	N/A	15.055 lb.	1.255
93842S	Small	0	0	N/A	15.055 lb.	1.255
93842M	Medium	0	0	N/A	15.055 lb.	1.255
93842XS	X - Small	0	0	N/A	13.090 lb.	1.091

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved