



**MCR  
SAFETY**

# 9475M

## String Knit Specification Sheet

### PRODUCT DESCRIPTION:

Most terry cloth is made with cotton because the absorbent fiber gets stronger when wet and it can be sanitized in very hot water using strong bleach and detergent without harm. Cotton terry cloth can absorb up to 27 times its own weight in water. Terry cloth also provides excellent thermal properties. Terry cloth is most often used for light heat applications in the industrial market. The 9475M is a 15" Terrycloth sleeve that features 16 oz. loop out material.

### FEATURES:

- 16 oz. Loop-out Cotton/Polyester blend
- 15 inches in length
- Provides basic cut, abrasion and heat protection
- Provides comfort and warmth

### APPLICATIONS:

Bakeries, Cafeteria, Casting, Metal fabrication



### TECHNICAL DATA FOR: 9475M

<b>Material Group</b>	Strings	<b>Overall Length</b>	15 in.
<b>Product Type</b>	String Knit	<b>ANSI Contact Heat</b>	Level 3 (Applications less than 392 degrees F)
<b>Glove Size</b>	Large		
<b>Gauge</b>	7 Gauge		
<b>Material</b>	Cotton Polyester Blend		
<b>Made In</b>	Mexico		

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

# 9475M

String Knit  
Specification Sheet



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
9475M	Large	0	0	N/A	15.760 lb.	3.940

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved