



**MCR
SAFETY**

9677 UltraTech Cut Protection Specification Sheet

PRODUCT DESCRIPTION:

One of the most distinguishing DSM Dyneema® characteristics is its cool-to-touch property. DSM Dyneema® fibers inherent ability to dissipate body heat and pass moisture from inside of the glove to the outside, results in longer wear time which promotes greater hand protection. The 9677 features a 13 gauge certified DSM Dyneema® Diamond Technology blended shell with PU coated palm and fingers.

FEATURES:

- 13 Gauge Certified DSM Dyneema®Diamond Technology, White Blended Shell
- White PU Coated Palm and Fingers
- Cool and Comfortable

APPLICATIONS:

Automotive Assembly, Farming, Landscaping, Assembly Line Production, Carpentry, Janitorial, Material Handling, Salvage, Sheet metal industry



TECHNICAL DATA FOR: 9677

Series	UltraTech	ANSI Cut	A3
Material Group	Strings	ANSI Puncture	3
Product Type	Cut Protection	ANSI Abrasion	5
Glove Size	Large		
Gauge	13 Gauge		
Material	Dyneema		
Made In	Sri Lanka		

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

9677

UltraTech

Cut Protection

Specification Sheet



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
9677XL	X - Large	12.60	4.13	2.95	23.472 lb.	1.956
9677S	Small	11.22	3.54	2.76	18.684 lb.	1.557
9677XS	X - Small	10.63	3.35	2.56	12.948 lb.	1.079
9677L	Large	12.20	3.94	2.95	21.684 lb.	1.807
9677M	Medium	11.62	3.74	2.76	19.956 lb.	1.663
9677XXL	XX - Large	0	0	N/A	24.828 lb.	2.069

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved